

CURRICULUM VITAE

TAYA V. GLOTZER, M.D. FACC

Clinical Assistant Professor of Medicine
University of New Jersey School of Medicine and Dentistry
Assistant Professor of Medicine
Touro University College of Medicine

Electrophysiology Associates of Northern New Jersey
Hackensack University Medical Center
20 Prospect Ave. Suite 701
Hackensack, N.J. 07601

Education

- 1979-1983 Wesleyan University, Middletown, CT
BA in Chemistry, June 1983
- 1983-1987 New York University School of Medicine, New York, NY
MD, June 1987

Postgraduate Training

- 1987-1988 Internship in Internal Medicine
Mount Sinai Medical Center, New York, NY
- 1988-1989 Residency in Diagnostic Radiology
Bellevue Hospital Center
New York University Medical Center
- 1989-1991 Residency in Internal Medicine
Bellevue Hospital Center
New York University Medical Center
- 1991-1995 Fellowship in Cardiology
Bellevue Hospital Center
New York University Medical Center
Department of Veterans Affairs Medical Center
- 1993-1994 Cardiac Catheterization and Angioplasty fellowship
1994-1995 Electrophysiology fellowship

Academic Appointments

- 2009-present Assistant Professor of Medicine
Touro University College of Medicine
- 2004-present Clinical Assistant Professor of Medicine
University of New Jersey School Medicine and Dentistry
- 2005-present Clinical Scientist
The David and Alice Jurist Institute for Research at Hackensack
University Medical Center

Hospital Appointments

- July 1995-present Attending Physician, Section of Electrophysiology
Member, Division of Cardiology
Department of Internal Medicine
Hackensack University Medical Center, Hackensack, NJ
- July 2005-present Attending Physician, Section of Electrophysiology
Member, Division of Cardiology
Department of Internal Medicine
Good Samaritan Hospital, Suffern, NY

Professional Societies

- 1997-present Fellow of the American College of Cardiology
1997-present Heart Rhythm Society, Member
1996-present New Jersey Society for Pacing and Electrophysiology
1992-1995 New York Cardiologic Society, Member

Academic and Professional Honors

- Sept. 1996 North American Society of Pacing and Electrophysiology
Traveling Fellowship Award
- May 1994 Trainee Investigator Award for Excellence in Scientific Research
American Federation for Clinical Research Foundation
- Sept. 1986 Honorable Mention for the 1986 Carroll Birch Award for the best
scientific paper -- American Medical Women's Association

Certifications and Licensure

1987	Diplomat, National Board of Medical Examiners
1988	Licensure, State of New York #175-794
1995	Licensure, State of New Jersey # 62311
1991-2001	Diplomat, American Board of Internal Medicine
1995, 2006	Diplomat, American Board of Internal Medicine, Cardiovascular Diseases
1997, 2006	Diplomat, American Board of Internal Medicine, Clinical Cardiac Electrophysiology

Committees

EKG Adjudication Committee, CABANA Trial

Womens Leadership Initiative of the Heart Rhythm Society, Founding member

Donna A. Sanzari Women's Health Services, Education, Research and Resource Center at Hackensack University Medical Center, Founding member

Publications

Glotzer TV, Liebes LF, Kanganis D, Silber R: Relationship of Fluorescence Polarization to Cell Lineage in Lymphocytes from Normal Subjects and Patients with Chronic Lymphocytic Leukemia. *American Journal of Hematology* 26:229-236, 1987.

Glotzer TV, Tunick PA, Kloth H , Galloway AC, Kronzon I: Thrombolysis of a Starr-Edwards Tricuspid Prosthesis: Diagnosis by Doppler Echocardiography and Treatment with Thrombolysis. *American Heart Journal* 127:705-708, 1994.

Glotzer T, Evans S, Bernstein N, Chinitz L: Specificity of Retrograde Conduction in Screening for Atrioventricular Nodal Reentrant Tachycardia. *PACE* 17 (Pt.II): 2134-2136, 1994.

Glotzer TV, Gordon M, Sparta M, Radoslovich G, Zimmerman J: Electromagnetic Interference from a Muscle Stimulation Device Causing Discharge of an Implantable Defibrillator: Epicardial Bipolar and Endocardial Bipolar Sensing Circuits are Compared. *PACE* 21: 1996-1998, 1998.

Glotzer TV, Radoslovich GA, Neglia J, Zimmerman JM: Variability of Atrial Sensing During Exercise in a Patient with a Dual Chamber ICD Caused Inappropriate ICD Discharges. *PACE* 22: 1838-1841, 1999.

Sweeney MO, Glotzer TV, Silverman R, Mittleman R, Yee R, Hellkamp AS, Lee K, Lamas G. Prospective Randomized Study of Pacemaker Mode-Switching in Sick Sinus Syndrome: MOST Substudy. *PACE* 24 (part II): 668, 2001.

Glotzer TV, Zimmerman JM, Hellkamp A, Sweeney MO, Yee R, Marinchak R, Cook J, Paraschos A, Love J, Radoslovich G, Lee K, Lamas G. Symptoms are an Unreliable Predictor of the Presence of Clinically Important Supraventricular Tachycardias: Report of the Atrial Diagnostics Ancillary Study of MOST. *Circulation* 2002; 106: II 603.

Glotzer TV, Zimmerman JM, Hellkamp A, Sweeney MO, Yee R, Marinchak R, Cook J, Paraschos A, Love J, Radoslovich G, Lee K, Lamas G. Atrial High Rate Episodes Detected by Pacemaker Diagnostics Predict Death and Stroke: Report of the Atrial Diagnostics Sub-Study of MOST. *Circulation* 2003; 107:1614-1619.

Glotzer TV, Daoud EG, Wyse DG, Singer DE, Holbrook R, Pruett K, Smith K, Hilker C. Rationale and Design of a Prospective Study of the Clinical Significance of Atrial Arrhythmias Detected by Implanted Device Diagnostics: TRENDS. *Journal of Interventional Cardiac Electrophysiology* 2006; 15: 9-14.

Glotzer TV, Daoud EG, Wyse DG, Singer DE, Ezekowitz MD, Hilker C, Miller C, Qi D, Ziegler PE, on behalf of the TRENDS Investigators. The Relationship between Daily Atrial Tachyarrhythmia Burden from Implantable Device Diagnostics and Stroke Risk: The TRENDS Study. *Circ Arrhythmia Electrophysiol.* 2009; 2:474-480. Published online before print August 4, 2009, doi: 10.1161/CIRCEP.109.849638

Ziegler PD, Glotzer TV, Daoud EG, Wyse DG, Ezekowitz MD, Singer DE, Koehler J, Hilker C. Incidence of newly detected atrial arrhythmias via implantable devices in patients with a prior history of thromboembolic events. *Stroke* 2010;41:256-260.

Abstracts

Chinitz LA, Bernstein NE, O'Connor B, Glotzer TV, Skipitaris NT: Mapping Reentry Around Scars Using Double Potentials. *European J Pacing and Electro.*, 6(1): 66, 1996.

Glotzer TV, Gordon M, Panagia W, Zimmerman J: The Cause of Symptoms During Magnet Application over Pacemakers. *European J Pacing and Electro.*, 6(1): 190, 1996.

Glotzer TV, Langfelder D, Justo R, Radoslovich G, Zimmerman J: Sotalol Dosing in Patients Who Have Paced Ventricular Rhythms. *European J Pacing and Electro.*, 6(1): 111, 1996. Presented at Cardiostim 1996 and the Newark Beth Israel Annual Pacemaker Meeting 1996.

Bernstein NE, Skipitaris NT, Glotzer TV, Delianides J, Chinitz LA, Colvin S: Atrial Arrhythmias Following a Batrial Approach to Mitral Valve Surgery. *European J Pacing and Electro.*, 6(1): 296, 1996.

- Glotzer TV, Jin J, Fitts S, Zimmerman J: Atrial Ectopy: Determinants of Initiating Mechanisms of Atrial Fibrillation. JACC Vol. 37, No. 2, 138A, 2001.
- Wolf PA, Daoud EG, Wyse DG, Singer DE, Ezekowitz MD, Hilker CE, Ziegler PD, Glotzer TV. Burden of atrial fibrillation detected by implantable cardiac rhythm devices and stroke risk: The TRENDS Study. AHA International Stroke Conference, February 2007.
- Glotzer TV, Daoud E, Wyse DG, Singer DE, Ezekowitz M, Hilker C, Miller C, Qi D, Ziegler PD. The TRENDS Study: Is There a Critical Value of Daily Atrial Tachyarrhythmia Burden from Device Diagnostics that Raises Stroke Risk? ACC Late Breaking Clinical Trials, April 2008.
- Ziegler PD, Glotzer TV, Daoud EG, Ezekowitz MD, Singer DE, Koehler J, Hilker C. Incidence of newly detected atrial arrhythmias via implantable devices in Patients with a prior history of stroke. Stroke 2009;40:e81-2. (AHA International Stroke Conference, February 2009).
- Ziegler PD, Glotzer TV, Daoud EG, Wyse DG, Ezekowitz MD, Singer DE, Koehler J, Hilker C. Incidence of atrial fibrillation exhibits annual, but not weekly or monthly variation. Heart Rhythm 2009; 6(5):S219.
- Ziegler PD, Glotzer TV, Daoud EG, Singer DE, Ezekowitz MD, Hoyt R, Koehler J, Coles J, Hilker CE, Wyse, DG. Detection of previously diagnosed AF in patients with multiple stroke risk factors: Is there a role for implantable devices in the “Primary Prevention” of stroke? Heart Rhythm 2010; 7(5):S187.

Collaborative Research Trials

- | | |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1993-1999 | Multicenter Unsustained Tachycardia Trial (MUSTT)
New York University Medical Center, Montefiore Medical Center, Hackensack University Medical Center, and Columbia Presbyterian Medical Center |
| 1996-2003 | Sudden Cardiac Death in Heart Failure Trial (SCD-HeFT)
Hackensack University Medical Center |
| 1996-2001 | Pacemaker Mode Selection Trial in Sinus Node Dysfunction (MOST) Hackensack University Medical Center |
| 1999-2001 | Medtronic InSynch Protocol
Dual Site Ventricular Pacing for Congestive Heart Failure |
| 1999-2001 | Medtronic Attest Protocol
Pacing for Treatment and Prevention for Atrial Fibrillation |
| 2000-2002 | Guidant Companion Trial |

Dual Site Ventricular Pacing and Sudden Death Prevention

- | | |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2003-2009 | Medtronic TRENDS study
Principal Investigator
Clinical significance of device detected atrial fibrillation |
| 2005-2009 | Managed Ventricular Pacing Trial (MVP) Investigator
Evaluation of effects of right ventricular pacing on
clinical endpoints; mortality and congestive heart failure |
| 2010-present | CABANA Trial
Evaluation of the effects of AF ablation on mortality
EKG adjudication committee member |